

TRAUMA CLAVICLE



Clavicle Locking Compression Plate II (Titanium)

PRODUCT CODE	L/R	HOLES	LENGTH
11.307.06.006	L	6	88
11.307.06.008	L	8	114
11.307.06.010	L	10	138
11.307.06.106	R	6	88
11.307.06.108	R	8	114
11.307.06.110	R	10	138



Extremitas Acromialis Clavicle Locking Compression Plate (Titanium)

PRODUCT CODE	L/R	HOLES	LENGTH
11.107.33.003	L	3	61
11.107.33.004	L	4	74
11.107.33.005	L	5	87
11.107.33.006	L	6	100
11.107.33.007	L	7	113
11.107.33.008	L	8	126
11.107.33.103	R	3	61
11.107.33.104	R	4	74
11.107.33.105	R	5	87
11.107.33.106	R	6	100
11.107.33.107	R	7	113
11.107.33.108	R	8	126



Clavicle Hook Locking Compression Plate (Titanium)

5 Hole available in SA

PRODUCT CODE	HEIGHT	L/R	HOLES	LENGTH
11.107.34.004	12	L	4	63.5
11.107.34.005	12	L	5	79
11.107.34.006	12	L	6	94.5
11.107.34.007	12	L	7	110
11.107.34.104	12	R	4	63.5
11.107.34.105	12	R	5	79
11.107.34.106	12	R	6	94.5
11.107.34.107	12	R	7	110
11.107.34.204	15	L	4	63.5
11.107.34.205	15	L	5	79
11.107.34.206	15	L	6	94.5
11.107.34.207	15	L	7	110
11.107.34.304	15	R	4	63.5



PRODUCT CODE	HEIGHT	L/R	HOLES	LENGTH
11.107.34.305	15	R	5	79
11.107.34.306	15	R	6	94.5
11.107.34.307	15	R	7	110
11.107.34.404	18	L	4	63.5
11.107.34.405	18	L	5	79
11.107.34.406	18	L	6	94.5
11.107.34.407	18	L	7	110
11.107.34.504	18	R	4	63.5
11.107.34.505	18	R	5	79
11.107.34.506	18	R	6	94.5
11.107.34.507	18	R	7	110

HA2.7mm Locking Screw 20°

- Full Thread
- Self Tapping
-  T8



Ti:

PRODUCT CODE	LENGTH
11.109.60.010	10
11.109.60.012	12
11.109.60.014	14
11.109.60.016	16
11.109.60.018	18
11.109.60.020	20
11.109.60.022	22
11.109.60.024	24

PRODUCT CODE	LENGTH
11.109.60.026	26
11.109.60.028	28
11.109.60.030	30
11.109.60.032	32
11.109.60.034	34
11.109.60.036	36
11.109.60.038	38
11.109.60.040	40

PRODUCT CODE	LENGTH
11.109.60.042	42
11.109.60.044	44
11.109.60.046	46
11.109.60.048	48
11.109.60.050	50
11.109.60.055	55
11.109.60.060	60

HA3.5mm Locking Screw

- Full Thread
- Self Tapping
-  T15



Ti:

PRODUCT CODE	LENGTH
11.107.51.110	10
11.107.51.112	12
11.107.51.114	14
11.107.51.116	16
11.107.51.118	18
11.107.51.120	20
11.107.51.122	22
11.107.51.124	24
11.107.51.126	26
11.107.51.128	28

PRODUCT CODE	LENGTH
11.107.51.130	30
11.107.51.132	32
11.107.51.134	34
11.107.51.135	35
11.107.51.136	36
11.107.51.138	38
11.107.51.140	40
11.107.51.142	42
11.107.51.144	44
11.107.51.145	45

PRODUCT CODE	LENGTH
11.107.51.146	46
11.107.51.148	48
11.107.51.150	50
11.107.51.155	55
11.107.51.160	60
11.107.51.165	65
11.107.51.170	70
11.107.51.175	75
11.107.51.180	80
11.107.51.185	85

HA3.5mm Cortex Screw

- Full Thread
- Self Tapping
-  SW2.5



Ti:

PRODUCT CODE	LENGTH
11.105.03.010	10
11.105.03.012	12
11.105.03.014	14
11.105.03.016	16
11.105.03.018	18
11.105.03.020	20
11.105.03.022	22
11.105.03.024	24

PRODUCT CODE	LENGTH
11.105.03.026	26
11.105.03.028	28
11.105.03.030	30
11.105.03.032	32
11.105.03.034	34
11.105.03.036	36
11.105.03.038	38
11.105.03.040	40

PRODUCT CODE	LENGTH
11.105.03.042	42
11.105.03.044	44
11.105.03.046	46
11.105.03.048	48
11.105.03.050	50
11.105.03.055	55
11.105.03.060	60

HB4.0mm Cancellous Screw

- Full Thread
-  SW2.5



Ti:

PRODUCT CODE	LENGTH
11.105.20.012	12
11.105.20.014	14
11.105.20.016	16
11.105.20.018	18
11.105.20.020	20
11.105.20.022	22
11.105.20.024	24
11.105.20.026	26
11.105.20.028	28

PRODUCT CODE	LENGTH
11.105.20.030	30
11.105.20.032	32
11.105.20.034	34
11.105.20.036	36
11.105.20.038	38
11.105.20.040	40
11.105.20.042	42
11.105.20.044	44
11.105.20.046	46

PRODUCT CODE	LENGTH
11.105.20.048	48
11.105.20.050	50
11.105.20.052	52
11.105.20.054	54
11.105.20.056	56
11.105.20.058	58
11.105.20.060	60

HB4.0mm Cancellous Screw

- *Half Thread*

-  **SW2.5**



Ti:

PRODUCT CODE	LENGTH
11.105.21.014	14
11.105.21.016	16
11.105.21.018	18
11.105.21.020	20
11.105.21.022	22
11.105.21.024	24
11.105.21.026	26
11.105.21.028	28

PRODUCT CODE	LENGTH
11.105.21.030	30
11.105.21.032	32
11.105.21.034	34
11.105.21.036	36
11.105.21.038	38
11.105.21.040	40
11.105.21.042	42
11.105.21.044	44

PRODUCT CODE	LENGTH
11.105.21.046	46
11.105.21.048	48
11.105.21.050	50
11.105.21.052	52
11.105.21.054	54
11.105.21.056	56
11.105.21.058	58
11.105.21.060	60